



# Bamboo Decking Fence system & Cladding

Greener living with bamboo



[www.amboo.com](http://www.amboo.com)





„Decking Vintage, Granite Grey“



„Fence Acapulco“

# aMbooo

DECKING, FENCE  
SYSTEM + CLADDING

## INDEX

Facts	04
Manufacturing and care	05
Decking	
Ipe-Style	06
Brasil	06
Primaverde	08
Grandessa	08
Vintage	10
Primus	12
Prestige	12
Select	14
Supreme	14
Santos	16
INFINITY	18
Chalet	18
Campo Verde	20
Desaro	20
Multiboard	22
MEGA DECK	22
Decking overview	24
Decking care	25
Installation	26
Installation accessories	28
Fence systems	
Pfofen	30
Acapulco	32
Deluxe	34
Rhombus	36
Accessories fence	38
Cladding boards	
Signature	42
Revestino	44
STYX	46
Planning	48
Care products	50



### Our promise:

aMbooo – Highland Bamboo only stands for exclusive premium decking, patio fence systems and cladding made of bamboo.

**aMbooo Outdoor - Greener living with bamboo!**



# aMbooo



## DECKING BOARDS

## FENCE SYSTEMS + CLADDING

### Advantages and product benefits:



#### 100% BAMBOO

As a basis we exclusively use highland bamboo.



#### CLIMATE PROTECTION

Up to 1 metre growth a day. A giant grass with bestmarks for ecology.



#### TREE PROTECTION

Not a single tree needs to be cut



#### SIMPLE AND FAST

Frontal tongue + groove and longitudinal groove enable simple, safe and quick mounting.



#### DURABLE AND HARD

Nearly as strong as steel and as long-lasting as tropical hard wood according to EN 350-2.



#### DIMENSIONALLY STABLE, THERMALLY MODIFIED

No natural spiral grain as with wood. Very low absorption and contraction behaviour



#### UV LIGHT

With our maintenance products guaranteed less colour change caused by UV light.



#### FLAME RETARDANT

According to DIN 4102 B1 and ATSM84 insensitive to ash.



#### SLIP RESISTANT

According to DIN 51097 C (Assessment Group C).



#### PLASTICS + CERAMICS FREE

No artificial additives like plastics or ceramics.



#### 1 PLANK → 2 SIDES

With our planks you have the choice between 2 different surfaces

### Useful facts about bamboo:

- Bamboo grows faster than any other plant on earth.
- Bamboo generates 10% - 30% more biomass yearly compared to wood.
- Some bamboo species grow up to 1 metre a day.
- Bamboo has no thickness growth, stemming entirely from the ground.
- Bamboo is used to replace steel reinforced concrete in the building industry.
- Bamboo has been known for a long time as an unbeatable help against soil erosion.

## MANUFACTURING of our aMbooo® products

Our aMbooo® decking, fence and cladding boards are produced according to the well-tried and trusted HCS (high compression strand) technology. What does this mean?

- We exclusively use high quality bamboo harvested in the highlands - no artificial additives like plastics or ceramics.
- Our bamboo is harvested in sustainably managed bamboo forests only - minimum age of each culm is 5 years!
- Our boards are extremely hard thanks to the very high specific weight of approx. 1.250 -

1300 kg / cbm (oak 700 kg).

- Our products are all pre-oiled.
- We exclusively use oils „Made in Germany“.
- Our bamboo culms are processed with a thermo-mechanical technology. This process has been developed by us over decades to match the requirements of a premium product.



\* We offer you the possibility to receive FSC certified goods on request!

## The right CARE for aMbooo® outdoor-products

We recommend to carry out the initial treatment with our aMbooo® Special Bamboo Care Oil after installation (please observe the instructions given by the manufacturer).

Decking boards, fence systems and cladding boards are subject to weather incidence, such as rain, sun, wind, ice and snow and may naturally change their form and appearance due to the influence of these elements.

This aging process underlines the natural quality of the material

With aMbooo® care products the surface can be preserved in its original colour for a long time. For pool areas we strongly recommend regular cleaning and care!



More information and ideas about our terraces, fence system and cladding as well as mounting and care instructions can be found on [www.ambooo.com/en/](http://www.ambooo.com/en/)



aMbooo® decking

# Ipe-Style + Brasil

THE IPE LOOK




**Material:** Bamboo  
**Size:** Ipe-Style  
ca. 20 x 140 x 2200 mm  
Brasil  
ca. 20 x 200 x 2200 mm  
**Colour:** Ipe  
**Surface:** smooth / partly fine-ribbed  
pre-oiled

With longside grooves for clips and tongue + groove at short side for continuous installation.

Attention: Natural colour differences are possible.

**Also available in sets of 20qm / 45qm.**



Now also available in complete sets. Ask your dealer!





aMbooo® decking

# Primaverde + Grandessa

THE VERSATILE LOOK



**Material:** Bamboo  
**Size:** Primaverde  
ca. 20 x 140 x 2200 mm  
Grandessa  
ca. 20 x 200 x 2200 mm  
**Colour:** White Oak  
**Surface:** smooth / partly fine-ribbed  
pre-oiled

With longside grooves for clips and tongue + groove at short side for continuous installation.  
Attention: Natural colour differences are possible.

**Also available in sets of 20qm / 45qm.**



Now also available in complete sets. Ask your dealer!





# Vintage

THE MODERN LOOK



**Material:** Bamboo  
**Size:** Vintage  
 ca. 20 x 140 x 2200 mm  
**Colour:** Granite Grey  
**Surface:** smooth / partly fine-ribbed  
 pre-oiled

With longside grooves for clips and tongue + groove at short side for continuous installation.

Attention: Natural colour differences are possible.

**Also available in sets of 20qm / 45qm.**



Now also available in complete sets. Ask your dealer!



aMbooo® decking

# Primus + Prestige

THE CLASSIC HARD WOOD LOOK



**Material:** Bamboo  
**Size:** Primus  
ca. 20 x 140 x 2200 mm  
Prestige  
ca. 20 x 200 x 2200 mm  
**Colour:** Coffee  
**Surface:** roughly notched / fine-ribbed  
pre-oiled

With longside grooves for clips and tongue + groove at short side for continuous installation.

Attention: Natural colour differences are possible.

Also available in sets of 20qm / 45qm.



Now also available in complete sets. Ask your dealer!





aMbooo® decking

# Select + Supreme

THE SMOOTH CLASSIC LOOK



**Material:** Bamboo  
**Size:** Select  
ca. 20 x 140 x 2200 mm  
Supreme  
ca. 20 x 200 x 2200 mm  
**Colour:** Coffee  
**Surface:** smooth / fine-ribbed  
pre-oiled

With longside grooves for clips and tongue + groove at short side for continuous installation.

Attention: Natural colour differences are possible.

**Also available in sets of 20qm / 45qm.**



Now also available in complete sets. Ask your dealer!





## Santos

THE SMOOTH CLASSIC LOOK IN ESPRESSO



**Material:** Bamboo  
**Size:** Santos  
ca. 20 x 139 x 1870 mm  
**Colour:** Espresso  
**Surface:** smooth / partly fine-ribbed  
pre-oiled

With longside grooves for clips and tongue + groove at short side for continuous installation.

Attention: Natural colour differences are possible.

**Also available in sets of 20qm / 45qm.**



Now also available in complete sets. Ask your dealer!





aMbooo® decking

# INFINITY + Chalet

THE HANDCRAFTED UNIQUE LOOK



**Material:** Bamboo  
**Size:** INFINITY  
ca. 20 x 140 x 2200 mm  
Chalet  
ca. 20 x 200 x 2200 mm  
**Colour:** Amber  
**Surface:** embossed and handscraped / pre-oiled

With longside grooves for clips and tongue + groove at short side for continuous installation.

Attention: Natural colour differences are possible.

Also available in sets of 20qm / 45qm.



Now also available in complete sets. Ask your dealer!





aMbooo® decking

# Campo Verde + Desaro

THE NATURAL LOOK



**Material:** Bamboo  
**Size:** Campo Verde  
ca. 20 x 140 x 2200 mm  
Desaro  
ca. 20 x 200 x 2200 mm  
**Colour:** Sand  
**Surface:** smooth / partly fine-ribbed  
pre-oiled

With longside grooves for clips and tongue + groove at short side for continuous installation.

Attention: Natural colour differences are possible.

**Also available in sets of 20qm / 45qm.**



Now also available in complete sets. Ask your dealer!






aMbooo® decking

# Multiboard+ MEGA DECK



**Material:** Bamboo  
**Size:** Multiboard  
ca. 42 x 290 x 2200 mm  
MEGA DECK  
ca. 30 x 300 x 950 mm  
**Colour:** Coffee  
**Surface:** smooth / partly fine-ribbed  
pre-oiled

Attention: Natural colour differences are possible



Multiboard

Now also available in complete sets. Ask your dealer!





# DECKING BOARDS - OVERVIEW



**Ipe-Style**  
20 x 140 x 2200 mm  
Colour: Ipe  
Article: 65291 3295

**Brasil**  
20 x 200 x 2200 mm  
Colour: Ipe  
Article: 65301 4221

**Santos**  
20 x 139 x 1870 mm  
Colour: Espresso  
Article: 65325 3202



**Primaverde**  
20 x 140 x 2200 mm  
Colour: White Oak  
Article: 65291 3295

**Grandessa**  
20 x 200 x 2200 mm  
Colour: White Oak  
Article: 65301 4220

**INFINITY**  
20 x 140 x 2200 mm  
Colour: Amber  
Article: 65291 3952



**Chalet**  
20 x 200 x 2200 mm  
Colour: Amber  
Artikelnr.: 65291 4955



**Vintage**  
20 x 140 x 2200 mm  
Colour: Granite Grey  
Article: 65291 3995

**Campo Verde**  
20 x 140 x 2200 mm  
Colour: Sand  
Article: 65395 4221



**Desaro**  
20 x 200 x 2200 mm  
Colour: Sand  
Article: 65395 4222



**Primus**  
20 x 140 x 2200 mm  
Colour: Coffee  
Article: 65333 3202

**Prestige**  
20 x 200 x 2200 mm  
Colour: Coffee  
Article: 65239 3295

**Multiboard**  
42 x 290 x 2200 mm  
Colour: Coffee  
Article: 65342 3202



**Select**  
20 x 140 x 2200 mm  
Colour: Coffee  
Article: 65390 3202

**Supreme**  
20 x 200 x 2200 mm  
Colour: Coffee  
Article: 65202 3296

**MEGA DECK**  
30 x 300 x 950 mm  
Colour: Coffee  
Article: 65363 3202



## End boards



Colour **Espresso**  
20 x 70 x 1860 mm  
Article: 65422 3298



Colour **Coffee**  
20 x 70 x 2200 mm  
Article: 65422 3297



Colour **White Oak**  
20 x 70 x 2200 mm  
Article: 65422 3299



Colour **Granite Grey**  
20 x 70 x 2200 mm  
Article: 65422 3300



Colour **Ipe**  
20 x 70 x 2200 mm  
Article: 65422 3301



Colour **Sand**  
20 x 70 x 2200 mm  
Article: 65422 3302

# DECKING BOARDS - CARE



Ipe pre-oiled



Ipe after initial care



White Oak pre-oiled



White Oak after initial care



Granite Grey pre-oiled



Granite Grey after initial care



Coffee pre-oiled



Coffee after initial care



Espresso pre-oiled



Espresso after initial care



Sand pre-oiled



Sand after initial care



**Quality Made in Germany – always a good choice!**

aMbooo® decking boards are delivered pre-oiled. After installation the boards need an initial care with aMbooo® care oil.

Regular cleaning with our aMbooo® cleaner and aMbooo® care oil is easy – no special knowledge or equipment (like Kärcher cleaning systems) necessary



## New colours for care!

New in our range are the aMbooo® care oils „Silver Grey“ and „Midnight Black“. Recolour at your choice and change the look!

**Silver Grey**  
(only for Primaverde)

**Midnight Black**



## ASSEMBLY INSTRUCTIONS

### Substructure in bamboo or aluminium

- We show what is possible.

For stable and durable bamboo decking, a professionally executed substructure is of great importance. A substructure facilitates wood protection by creating a gap between the ground and the floor covering. You have the choice between a substructure made of bamboo or aluminium with and without pedestals.



In the following we give you an quick overview on installation. More detailed information you can find in our installation instructions and on [www.ambooo.com](http://www.ambooo.com)

### Installation substructure bamboo

starter clip	
marinesteel clip for endless	
end clip	
TopClip	

### Installation substructure aluminium

starter / end clip		
board installation clip		
<b>Substructures</b>		
Aluminium 35 x 23 mm	Aluminium 40 x 40 mm	Bamboo 40 x 40 mm

### Installation substructure bamboo




### Installation substructure aluminium



The planning of a terrace/patio is not very complicated - there are only a few things to be considered. We help you with the planning and realization / bringing to life of your new hideaway or oasis of calm. You can either use our online-planner you can send us your inquiry with all important data to: [technik@ambooo.com](mailto:technik@ambooo.com) and we plan your terrace - free of charge and without obligation!


### Overview of our substructures:

#### Substructure Bamboo - Installation with pedestals



The installation with pedestals offers the possibility to compensate differences in height. The pedestals are available in different heights.

#### Substructure Bamboo - Installation with rubber pads



The bamboo substructure can be used without pedestals. In this case, aMbooo® rubber pads are used as a carpet pad to increase the service life of the UK.

#### Pedestal including beam support




The example shows a 70 - 120 mm pedestal + beam support

The pedestals are available in different heights.


10 - 15 mm	40 - 70 mm
15 - 19 mm	70 - 120 mm
19 - 27 mm	120 - 170 mm
27 - 40 mm	

#### Substructure aluminium 35 x 23 mm - Installation with pads



The 35 x 23 mm aluminium version is suitable for ground-level applications and should not be raised. The aluminium profiles must be fastened to the ground. The pads provide good impact sound isolation, rear ventilation and drainage.

#### Substructure aluminium 40 x 40 mm - Installation with pedestals



The system is installed floating without anchoring to the floor or a wall. The aluminium substructure can also be installed on our various pedestals (with different heights of 11-570 mm) or on our aMbooo® rubber pads. When using the displayed pedestals, make sure that the supplied metal plate is inserted.

#### Adjustable base for aluminium substructure 40 x 40



















































adjustable in height 15 - 35 mm

The central location of our production facilities in the EU offers advantages in processing and transport. Among other things, this means less environmental impact and lower transport costs.



## DECKING BOARDS - MOUNTING ACCESSORIES

Article-No.	Article description	Size (mm) / Unit
<b>Aluminium Drainage Deck</b>		
65283 7321	 Aluminium	2000x150x20 
<b>Bamboo substructure for decking</b>		
65762 2302	 unoiled	40x40x2200
<b>Installation set for aMbooo® Decking</b>		
59024 0100	 Content: (for ca. 5,5 m²) 100x marine steel clip (black, teflon coated) 100x marine steel screws (Ø4,8x35mm) 1x bit	1 set 
<b>Installation set - start clip for aMbooo® Decking</b>		
59024 0300	 Content: (for ca. 20 m²) 25x marine steel clip (black, teflon coated) 25x marine steel screws (Ø4,8x35mm)	1 set 
<b>Installation set - end clip for aMbooo® Decking</b>		
59024 0301	 Content: (for ca. 20 m²) 25x marine steel clip (black, teflon coated) 25x marine steel screws (Ø4,8x35mm)	1 set 
<b>Installation Set - TopClip for aMbooo® Decking</b>		
59274 8392 <b>NEW!</b>	 Content: (for ca. 5,5 m²) 100 x Clip preassembled with screw suitable for aMbooo®, thermowood, WPC and BPC planks	1 set 
<b>Connector aMbooo substructure</b>		
65286 3202 <b>NEW!</b>	 2,5 x 35 x 96 mm	1 piece 
<b>Bracket aMbooo substructure</b>		
59144 1108 <b>NEW!</b>	 30 x 30 x 30 mm	1 piece 
<b>Aluminium substructure</b>		
65377 3202	 35 x 23 x 2200 mm	1 piece 
<b>Aluminium substructure</b>		
65378 3202	 40 x 40 x 2200 mm	1 piece 
<b>Aluminium Extension for aluminium substructure</b>		
65279 3202	 35 x 23 mm	1 piece 
<b>Aluminium Extension for aluminium substructure</b>		
65280 3202	 40 x 40 mm	1 piece 
<b>Multi corner for Aluminium Substructure 40 x 40 mm</b>		
214748 3698	 Content: 1 piece incl. screws and nuts	1 piece 

Article-No.	Article description	Size (mm) / Unit
<b>Polyamide adjustable foot for Alu Substructure 40 x 40 mm, 15-35 mm</b>		
65290 3202	 adjustable in height 15-35 mm, adjustable after installation	1 set 
<b>Installation Set / 100 clips incl. Screws for Alu substructure 35x23 mm and 40x40 mm</b>		
59024 0200	 Content: (for ca. 5,5 m²) 100 x Clip	1 set 
<b>Start and End Clips, 25 pieces, for Alu substructure</b>		
59024 0302	 Content: (for ca. 20 m²) 25 x clip	1 set 
<b>Rectangular installation clip for Alu Substructure (MEGA DECK and Multiboard)</b>		
59022 0123	 Content: 1 piece	1 pc. 
<b>Installation Set MegaDeck EPDM round pad for aMbooo® MEGA DECK</b>		
59022 0005	 Content: 5 x round pad for 1 m²	1 set 
<b>substructure rubber pad 5 mm</b>		
65283 3202	 Content: 24 Pads 40 x 60 mm Thickness 5 mm	1 pack/3m² 
<b>substructure rubber pad 10 mm</b>		
65284 3202	 Content: 24 Pads 40 x 60 mm Thickness 10 mm	1 pack/3m² 
<b>NEW! Pedestals including L-adapter</b>		
59202 1401	<b>Pedestal 11-15 mm</b>	 1 piece 
59202 1408	<b>Pedestal 15-19 mm</b>	
59202 1404	<b>Pedestal 19-27 mm</b>	
59202 1402	<b>Pedestal 27-40 mm</b>	
Picture shows pedestal with L-adapter 70 - 120 mm		
<b>Adapter 50 mm for pedestal including level plate</b>		
59201 4260 <b>NEW!</b>	 Increases all offered pedestals by 50 mm	1 St. 
<b>Slope adapter</b>		
59202 1407 <b>NEW!</b>	 Slope adapter (1 - 7% = 4°)	1 Pack/3m² 
<b>Terrace joint tape for aMbooo® decking</b>		
50219 0003	 for joints of 4-7 mm, for aMbooo terraces 1 roll = 50 m	1 St.
<b>Sting saw blade extra clean cut</b>		
50219 0001	 Content: 3 saw blades	1 Set 
<b>weed mat 90 gr/qm</b>		
65285 5202	 Roll with 1m x 15 m = 15qm/rm	1 piece 





## Post Deluxe

**Material:** Bambus  
**Size:** 70 x 70 x 2400 mm  
**Colour:** Coffee  
**Surface:** pre-oiled




## Post Acapulco

**Material:** Aluminium  
**Size:** 70 x 70 x 2250 mm  
and 70 x 70 x 1950 mm  
**Colour:** Antracite  
**Surface:** powder coated



## Post Rhombus

**Material:** Aluminium  
**Size:** 75 x 75 x 1925 mm  
**Colour:** Silver  
**Surface:** powder coated



Picture shows: Fence series Acapulco with Acapulco aluminum posts and decorative profiles.



Now also available in complete sets. Ask your dealer!





# aMbooo® FENCE SYSTEM

## Acapulco



### Wind and privacy protection

**Material:** Bamboo  
**Size:** ca. 1780 x 195 (200) x 20 mm  
**Colour:** Coffee  
**Surface:** smooth, pre-oiled

With longitudinal groove and frontal tongue + groove connection.

Attention: Natural colour differences are possible

**Design your fence with a choice of options. Use decorative profiles, window and HPL elements and a door for your dream fence.**



## One system - many options!

With the Acapulco fence system we offer you a creative system to design your own fence area. This fence system can be individually shortened in height and width - with or without decorative strips. Below we give you some examples of the Acapulco fence series. Which fence will be yours?

← width 180 cm →



**Basic kit 1** (Article-No. 25234 8327)  
1 x Starter profile and end closer profile aluminium  
8 x Filling boards bamboo  
7 x Decorative profile aluminium  
1 x Fitting/fastening set  
2 x Post and -shoe for screwing  
also available:  
**Expansion kit 1** (Article-No. 25234 8328)



**Basic kit 2** (Article-No. 25234 8331)  
1 x Starter profile aluminium  
9 x Filling boards bamboo  
1 x Profileboard end/close up bamboo  
2 x Post and -shoe for screwing  
1 x Fitting/fastening set  
also available:  
**Expansion kit 2** (Article-No. 25234 8332)



**Basic kit 3** (Article-No. 25234 8335)  
1 x Starter profile and end closer profile aluminium  
9 x Filling boards bamboo  
1 x Fitting/fastening set  
2 x Post and -shoe for screwing  
also available:  
**Expansion kit 3** (Article-No. 25234 8336)



**Basic kit 4** (Article-No. 25234 8339)  
1 x Starter profile aluminium  
8 x Filling boards bamboo  
2 x Decorative profile aluminium  
1 x Profileboard end/close up bamboo  
1 x Fitting/fastening set  
2 x Post and -shoe for screwing  
also available:  
**Expansion kit 4** (Article-No. 25234 8340)

Get creative and choose between post shoes for concreting and screwing!



Post Acapulco for concreting (Art-No. 25233 9208)

Post Acapulco for screwing (Art-No. 25233 8208)



Post shoe for concreting (Art-No. 25234 1208)



Post shoe for screwing (Art-No. 25234 2208)



Fitting/Fastening set Acapulco (Art-No. 25234 5208)  
A fastening set for wind protection is absolutely necessary for each element, as it connects the filler boards with the posts.



# aMbooo® FENCE SYSTEM

## Deluxe



Height and width adjustable.  
2 different post types

← Wide 180 cm →



Bamboo  
Connector system  
Deluxe NATURE

**Basic kit NATURE (Art.-No. 25234 5129):**  
12 x Profile board Starter/Connecting Bamboo  
1 x Profile board End/Close Bamboo  
2 x Post (Bamboo) Deluxe Starter/End/Close up with decorative cap

also available NATURE expansion kit (Art.-No. 25325 4229)  
incl. 1x post extension with 2 grooves (Bamboo)



Bamboo  
Connector system  
Deluxe STABILO

**Basic kit STABILO (Art.-No. 25234 9207):**  
12 x Profile board Starter/Connecting Bamboo  
1 x Profile board End/Close Bamboo  
2 x Post and -post shoe for screwing Acapulco  
2 x Adapter profile Acapulco post for 14 mm system board Deluxe  
also available STABILO expansion kit (Art.-No. 25234 9211)

When using  
the posts  
Acapulco an  
adapter profile  
necessary

**Material:** Bamboo  
**Size:** ca. 1780 x 135 (140) x 14 mm  
**Colour:** Coffee  
**Surface:** smooth, pre-oiled  
With longitudinal groove and frontal tongue  
+ groove connection.  
Attention: Natural colour differences are possible.

Fence System Deluxe STABILO with Post Acapulco aluminium



Now also available in complete sets. Ask your dealer!





# aMbooo® FENCE SYSTEM

## Rhombus



**Material:** Bamboo  
**Size:** ca. 1710 x 75 x 20 mm  
**Colour:** Coffee  
**Surface:** smooth, pre-oiled

Attention: Natural colour differences are possible



Die einzelnen Leisten werden mithilfe einer Schiene und Nutensteinen am Pfosten befestigt.



**Basic kit Rhombus (Art.-No. 25234 8229):**  
 23 x Profile board Starter/Connecting Bamboo  
 2 x Post Rhombi (without post anchor) with receptacle and spacers  
 also available: **expansion kit STABILO (Art.-Nr. 25234 8230)**



Now also available in complete sets. Ask your dealer!












## Acapulco

Article-No.	Article description	Size (mm)	Material	Surface
<b>Profile board Starter/Connecting</b>				
25233 4109	 Colour: Coffee	1780 x 195 x 20 without tongue 1780 x 200 x 20 with tongue	Bamboo	pre-oiled
<b>Profile board End/Close up</b>				
25233 5109	 Colour: Coffee	1780 x 90 x 20	Bamboo	pre-oiled
<b>Post Acapulco aluminium for concreting</b>				
25233 9208	 Colour: Antracite incl. cap	2250 x 70 x 70	Aluminium	powder coated
<b>Post Acapulco Aluminium for screwing</b>				
25233 8208	 Colour: Antracite incl. cap	1950 x 70 x 70	Aluminium	powder coated
<b>Post shoe, anthracite, galvanized steel, for screwing</b>				
25234 2208			Steel galvanized	powder coated
<b>Post shoe, anthracite, galvanized steel, for concreting</b>				
25234 1208			Steel galvanized	powder coated
<b>Adapter profile Acapulco for 14 mm system board Deluxe</b>				
25235 5208		1950 x 22 x 11	Aluminium	powder coated





Article-No.	Article description	Size (mm)	Material	Surface
<b>Starter profile Acapulco, aluminium antracite</b>				
25234 3210		1780 x 40 x 20	Aluminium	powder coated
<b>End/Closer profile Acapulco, aluminium antracite</b>				
25234 4210		1780 x 40 x 20	Aluminium	powder coated
<b>Decorative profile Acapulco, aluminium antracite</b>				
25234 6210		1780 x 30 x 20	Aluminium	powder coated
<b>Fitting/Fastening set for Acapulco incl. right angle and screws, 4-parts</b>				
25234 5208			Steel galvanized	powder coated
<b>Window element for Acapulco, Aluminium, Colour: antracite</b>				
25234 8348		1780 x 20	Aluminium	powder coated
<b>HPL element for Alu-Post Acapulco, HPL, Colour: antracite</b>				
65342 3211		1200 x 1830 x 6	HPL	antracite
65342 3212		900 x 1830 x 6	HPL	antracite
<b>HPL bracket for Alu-Post Acapulco, stainless steel, set: 6 pc. incl. screws</b>				
65342 3210			stainless steel	
<b>Garden door for series Acapulco</b>				
25234 8344	 <b>NEW!</b>	Bamboo colour: Coffee Door with fittings  without post (only suitable for posts for setting in concrete)	1800 x 800	Aluminium / Bamboo powder coated / pre-oiled



## Deluxe

Article-No.	Article description	Size (mm)	Material	Surface
<b>Profile board Starter/Connecting Deluxe Bamboo</b>				
25233 7209	 colour: Coffee	1780 x 140 x 14 with tongue 1780 x 135 x 14 without tongue	Bamboo	pre-oiled
<b>Profile board End/Close up Deluxe Bamboo</b>				
25233 6209	 colour: Coffee	1780 x 135 x 14	Bamboo	pre-oiled
<b>Post Deluxe bamboo Starter/End/Close up</b>				
25234 0208	 colour: Coffee	2400 x 70 x 70	Bamboo	pre-oiled
<b>Post Deluxe bamboo Extension (H-Groove) = 2 grooves</b>				
25239 2008	 colour: Coffee	2400 x 70 x 70	Bamboo	pre-oiled
<b>Adapterprofil für Acapulco-Pfosten für 14 mm Systembrett Deluxe</b>				
25235 5208	 colour: antracite	1950 x 22 x 11	Aluminium	powder coated
<b>Decorative cap for bamboo post deluxe</b>				
25234 2780	 Material: Stainless steel	70x70x10	Stainless steel	polished
<b>Garden door for series Deluxe</b>				
25234 8343 <b>NEW!</b>	 Bamboo colour: Coffee Door with fittings  without post (only suitable for posts for setting in concrete)	1800 x 800	Aluminium / Bamboo	powder coated/ pre-oiled

## Rhombus

Article-No.	Article description	Size (mm)	Material	Surface
<b>Rhombic trim</b>				
25233 4111	 colour: Coffee	1710 x 75 x 20	Bamboo	pre-oiled
<b>Post Rhombi with mounting and sliding blocks</b>				
255537208	 colour: silver	1925 x 75 x 75	Aluminium	powder coated
<b>Postshoe for Rhombi for screwing on</b>				
252342210		405 x 170 x 140	Steel galvanized	powder coated
<b>Postshoe for Rhombi for concreting</b>				
252341210		1180 x 100 x 60	Steel galvanized	powder coated

Picture shows fence deluxe





# aMbooo® CLADDING PROFILE

## Signature



**Material:** Bamboo  
**Colour:** Sand  
**Size:** Signature S  
 ca. 12 x 50 x 2200 mm  
 Signature M  
 ca. 12 x 100 x 2200 mm  
 Signature L  
 ca. 12 x 150 x 2200 mm

**Surface:** smooth / 2 x pre-oiled  
 With longitudinal tongue + groove.

Attention: Natural colour differences are possible  
**Production of your own profiles and colors is possible from 150 sqm**

**Further colours** are available on demand:  
 Granite Grey    Amber    Espresso



**Mounting accessories**  
 Cladding clip for signature





# aMbooo® Rhombusleisten

## Revestino



**Material:** Bamboo  
**Colour:** Sand  
**Size:** ca. 12 x 73 x 2200 mm  
**Surface:** smooth / 2 x pre-oiled

Attention: Natural colour differences are possible

Production of your own profiles and colors is possible from 150 sqm

Further colours are available on demand:

Granite Grey    Amber    Espresso





# aMbooo® CLADDING PROFILE

## STYX



**Material:** Bamboo  
**Size:** ca. 14 x 128 (140) x 2500mm  
**Colour:** White Oak  
**Dimension:** corrugated / 2 x pre-oiled

With longitudinal groove and frontal tongue and groove connection.


Attention: Natural colour differences are possible.

**Product advantage: concealed mounting**


**Further colours**  
available on demand:  
Coffee



Granite Grey



**Mounting:**  
concealed screw head






## Decking, Fence systems, Cladding

### Our decking planner

The planning of a terrace/patio is not very complicated - there are only a few things to be considered. We help you with the planning and realization / bringing to life of your new hideaway or oasis of calm.

You can either use our online-planner you can send us your inquiry with all important data to: [technik@ambooo.com](mailto:technik@ambooo.com) and we plan your terrace - free of charge and without obligation!




### You are usually working with wood and are looking for an alternative?

We support you with the realization of your projects. The super grass bamboo binds more CO<sup>2</sup> than any other wood and is THE alternative for hard woods. Not only because of its technical product benefits but also price wise.

Would you like to have an example? In the equestrian industry hard wood like (Belinga, Denya and Oak), were used for ages to build horse boxes. Now bamboo has become the state of the art / new standard.

Of any interest to you get in touch with us!



### You are planning a very special project?

We like to be of assistance also for larger projects like shown on these pictures - a pool area of a hotel in Spain. Our decking, fence systems and cladding can be found in hotel resorts, restaurant outdoor terraces, in parks, industrial areas and so on.

With the right preparation your project will be a great success - and we would be delighted to assist you!

Our pleasure to help!





## decking - fence systems - cladding



Article-No.	Article description	Made in
<b>aMbooo® Special bamboo care oil</b>		
40004 6025	Colour: <b>Coffee</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
40005 1025	Colour: <b>Espresso</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
40004 7025	Colour: <b>Granite Grey</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
40004 8025	Colour: <b>White Oak</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
40005 3025	Colour: <b>Silver Grey</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
40005 2025	Colour: <b>Midnight Black</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
40004 7026	Colour: <b>Bernstein</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
40004 8026	Colour: <b>Ipe</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
40004 6128	Colour: <b>Sand</b> Content: 2,5 Liter (Consumption approx. 1 litre per 10 m <sup>2</sup> )	
<b>aMbooo® Cleaner</b>		
40069 0010	Content: 1,0 Liter (Consumption approx. 1 litre per 50 m <sup>2</sup> )	
<b>aMbooo® Anti-plaque for decking und fence systems</b>		
50181 0001	Content: 2,5 litre against green plaque and fungus	
<b>aMbooo® Edge wax for aMbooo® decking und fence systems</b>		
21448 3778	Content: 250 ml for ca. 1,5 m <sup>2</sup>	

Article-No.	Article description	Made in
<b>aMbooo® Oil applicator for decking + fences</b>		
50181 0001	(ca. 23 cm) Content: 1x Applicator 1x Pad	
<b>aMbooo® Pad for oil applicator</b>		
50181 0002	Content: 10x Pads	
<b>Colour tub</b>		
50181 0003	Content: 1x Tub for 250 mm applicator / paint roller	
<b>Decking brush for aMbooo® decking</b>		
50220 1000 <i>NEW!</i>	decking brush 140 mm	
50221 1000 <i>NEW!</i>	decking brush 220 mm	
<b>Decking brush aMbooo Spezial</b>		
50217 0000	(ca. 30 cm) FSC Beech For cleaning and smoothing the surface suitable for bamboo, wood and stone	
<b>Handle Decking brush aMbooo® special</b>		
50219 0000	Content: 1x Handle	
<b>Jigsaw blade set spezial extra clean</b>		
50219 0001	Content: 3 Jigsaw blade	

Made in Germany Made in Europe

### Important care instructions:

Regular follow-up care with aMbooo Oil is essential when aMbooo decking is installed in the pool area because chlorinated poolwater damages the surface of the decking.



### Anti UV shield

With our maintenance products we guarantee less colour change due to UV-radiation.



**Your specialist dealer (stamp)**



More information and ideas about our terraces, fence system and cladding as well as mounting and care instructions can be found on

[www.amboo.com/en/](http://www.amboo.com/en/)